

700 CATRIKE Recumbent Trikes



Frame & Geometry

	US	Metric
Wheel Base	46 in	1168 mm
Wheel Track	27.5 in	699 mm
Total Width	31 in	787 mm
Total Length**	82 in	2083 mm
Seat Angle	25 deg	
Weight*	34 lb	15.4 kg
Seat Height	8.5 in	216 mm
Seat Width	14 in	356 mm
BB Height**	17.5 in	445 mm
Ground Clearance	4 in	102 mm
Total Height	26.75 in	679 mm
Turning Circle	20 ft	6 m
Turning Radius	10 ft	3 m
Rider Weight Limit	275 lbs	125 kg
Rider X-Seam Range	39-46 in	99-117 cm

*weight includes pedals, mirror, flag, computer mount and neck rest if standard on the model.

**varies accordingly to rider height.

Components

Brakes	Avid BB7-S MTN Disc Brakes
Brake Levers	Avid FR-5
Rear Brake	Avid BB7-S MTN Disc Brake
Brake Actuator	Microshift Index Thumb Shifter
Front Derailleur	Microshift Triple
Rear Derailleur	SRAM GX 10 Speed
Shifters	SRAM 500 TT Bar End Shifter
Crankset	FSA Hollow Carbon
Bottom Bracket	FSA Road MegaExo
Chainrings	30/39/52
Chain Guard	FSA Guard
Cassette	SRAM 11/36 10 Speed
Chain	KMC
Idler	TerraCycle Sport Power Idler 15T
Headsets	FSA Zero Stack
Front Tires	406 Schwalbe Durano
Rear Tire	700c Schwalbe Durano
Rear Wheel	Vision Trimax 30 Disc

* All components are subject to change with an equivalent substitute based on availability