

# EXPEDITION CATRIKE Recumbent Trikes



## Frame & Geometry

	<b>US</b>	<b>Metric</b>
<b>Wheel Base</b>	43 in	1092 mm
<b>Wheel Track</b>	29 in	737 mm
<b>Total Width</b>	32.5 in	826 mm
<b>Total Length**</b>	77 in	1956 mm
<b>Seat Angle</b>	37 deg	
<b>Weight*</b>	35 lb	15.9 kg
<b>Seat Height</b>	10 in	254 mm
<b>Seat Width</b>	14 in	356 mm
<b>BB Height**</b>	16.5 in	419 mm
<b>Ground Clearance</b>	4.5 in	114 mm
<b>Total Height</b>	26 in	660 mm
<b>Turning Circle</b>	18 ft	5.4 m
<b>Turning Radius</b>	9 ft	2.7 m
<b>Rider Weight Limit</b>	275 lbs	125 kg
<b>Rider X-Seam Range</b>	39-46 in	99-117 cm

\*weight includes pedals, mirror, flag, computer mount and neck rest if standard on the model.

\*\*varies accordingly to rider height.

# Components

<b>Brakes</b>	Avid BB7 Disc Brakes
<b>Brake Levers</b>	Catrike Locking Brake Levers
<b>Front Derailleur</b>	Microshift Triple
<b>Rear Derailleur</b>	SRAM GX 10 Speed
<b>Shifters</b>	SRAM 500 TT Bar End Shifter
<b>Crankset</b>	FSA Gossamer Pro Triple
<b>Bottom Bracket</b>	FSA Road MegaExo
<b>Chainrings</b>	30/39/52
<b>Chain Guard</b>	FSA Guard
<b>Cassette</b>	SRAM 11/36 10 Speed
<b>Chain</b>	KMC
<b>Idler</b>	TerraCycle Sport Power Idler 15T
<b>Headsets</b>	FSA Zero Stack
<b>Front Tires</b>	406 Schwalbe Marathon Racer
<b>Rear Tire</b>	559 Schwalbe Marathon Racer

\* All components are subject to change with an equivalent substitute based on availability